§ 39.40-1

Subpart 39.40—Lightering and Topping-Off Operations with Vapor Balancing

§ 39.40-1 General requirements for vapor balancing-TB/ALL.

- (a) Except as provided in paragraph (b) of this section, each vessel which uses vapor balancing while conducting a lightering or topping-off operation must meet the requirements of this subpart in addition to the requirements of subparts 39.10, 39.20, and 39.30 of this part.
- (b) An arrangement to control vapor emissions during a lightering or topping-off operation which does not use vapor balancing must receive approval from the Commandant (G-MSO).
- (c) A vapor balancing operation must not use a compressor or blower to assist vapor transfer without approval from the Commandant (G-MSO).
- (d) Vapor balancing is prohibited when the cargo tanks on a vessel discharging cargo are inerted and the cargo tanks on a vessel receiving cargo are not inerted.
- (e) A vessel which intends to engage in a lightering or topping-off operation while collecting cargo vapor from other than crude oil, gasoline, or benzene must receive specific approval from the Commandant (G-MSO).

[CGD 88-102, 55 FR 25446, June 21, 1990; 55 FR 39270, Sept. 26, 1990, as amended by CGD 95-072, 60 FR 50462, Sept. 29, 1995; CGD 96-041, 61 FR 50727, Sept. 27, 1996]

§ 39.40-3 Design and equipment for vapor balancing—TB/ALL.

- (a) If the cargo tanks on a vessel discharging cargo and a vessel receiving cargo are inerted, the service vessel must:
- (1) Have a means to inert the vapor transfer hose prior to transferring cargo vapor; and
- (2) Have an oxygen analyzer with a sensor or sampling connection fitted within 3 meters (9.74 ft.) of the vessel vapor connection which:
- (i) Activates an audible and visible alarm at a location on the service vessel where cargo transfer is controlled when the oxygen content in the vapor collection system exceeds 8 percent by volume:

- (ii) Has an oxygen concentration indicator located on the service vessel where the cargo transfer is controlled; and
- (iii) Has a connection for injecting a span gas of known concentration for calibration and testing of the oxygen analyzer.
- (b) If the cargo tanks on a vessel discharging cargo are not inerted, the vapor collection line on the service vessel must be fitted with a detonation arrester that meets the requirements of 33 CFR 154.822(a) located within 3 meters (9.74 ft.) of the vessel vapor connection.
- (c) An electrical insulating flange or one length of non-conductive hose must be provided between the vessel vapor connection on the service vessel and the vapor connection on the vessel being lightered or topped-off.

§ 39.40-5 Operational requirements for vapor balancing—TB/ALL.

- (a) During a lightering or topping-off operation each cargo tank being loaded must be connected by the vapor collection system to a cargo tank which is being discharged.
- (b) If the cargo tanks on both the vessel discharging cargo and the vessel receiving cargo are inerted, the following requirements must be met:
- (1) Each tank on a vessel receiving cargo which is connected to the vapor collection system must be tested prior to cargo transfer to ensure that the oxygen content in the vapor space does not exceed 8 percent by volume. The oxygen content of each tank must be measured at a point one meter (3.28 feet) below the tanktop and at a point equal to one-half of the ullage. Where tanks have partial bulkheads, the oxygen content of each area of that tank formed by each partial bulkhead must be measured at a point one meter (3.28 feet) below the tanktop and at a point equal to one-half of the ullage;
- (2) The oxygen analyzer required by §39.40–3(a) must be tested for proper operation prior to the start of each transfer operation;
- (3) The oxygen content of vapors being transferred must be continuously monitored during the transfer operation;

(4) Cargo transfer must be terminated if the oxygen content exceeds 8 percent by volume and must not be restarted until the oxygen content in the tanks of the vessel receiving cargo is reduced to 8 percent by volume or less; and

(5) The vapor transfer hose must be purged of air and inerted prior to starting vapor transfer.

(c) The isolation valve, required by \$39.20-1(c) of this part, located on the service vessel must not be opened until the pressure in the vapor collection system on the vessel receiving cargo exceeds the pressure in the vapor collection system on the vessel dis-

charging cargo.
(d) The cargo transfer rate must be controlled from the vessel discharging cargo, and must not exceed the max-

imum allowable transfer rate for the vessel receiving cargo.

- (e) The pressure in the vapor space of any cargo tank connected to the vapor collection line on either the vessel receiving cargo or the vessel discharging cargo must not exceed 80 percent of the lowest setting of any pressure relief valve during ballasting or cargo transfer.
- (f) All impressed current cathodic protection systems must be deener-gized during cargo transfer operations.
- (g) Tank washing is prohibited unless the cargo tanks on both the vessel discharging cargo and the vessel receiving cargo are inerted or the tank is isolated from the vapor collection line.

[CGD 88–102, 55 FR 25446, June 21, 1990; 55 FR 39270, Sept. 26, 1990]

INDEX

SUBCHAPTER D—TANK VESSELS

EDITORIAL NOTE: This listing is provided for informational purposes only. It is compiled and kept current by the U.S. Coast Guard, Department of Homeland Security. This index is updated as of October 1, 2007.

Part, subpart, or section

\mathbf{A}

A
Accident or casualty reportSubpart 35.15
Accommodations for crew
Application
Construction
Heating and cooling32.40-50
Hospital space
Insect screens 32.40-55
Location of Crew spaces
Messrooms
On tankships constructed before June 15, 1987
On tankships of less than 100 gross tons and manned tank barges 32.40-60
Other spaces
Sleeping Accommodations
Washrooms and toilet rooms
Aids to Navigation:
Charts or information regarding
Coast pilots
Current tables
Light lists
Nautical publications
Notice to Mariners
Sailing directions
Tide tables
Air compressor
Alarm bells
Marking required35.40-5
Switches, markings of
Alarm systems Subpart 32.25
Alcohol or drugs, used by crew
Alterations and repairs, regulations governing30.01-10, 31.10-25
American Bureau of Shipping
Anniversary date
Annual inspection:
Application for:
Fire extinguishers
Anode installations, sacrificial
Application for inspection
Application, electrical installations Subpart
Application of regulations:
Governing alterations and repairs
Vessels on an international voyage
• •

Approved, definition	30.10-23, 32.20-10
Construction	32.35-1 32.35-5
Axes, fire	34.05-20, 34.60
В	
_	
Bell, alarm Subpart	32.25
Bell signals Bilge systems Subpart	32.3U-3
Bills of lading required	35 01-10
Boilerroom, fire extinguishing systems for	34.05-5
Boilers:	
Accident report by chief engineer	35.25-5
Examination by engineer	35.25-1
Safety rules for fires	35.30-5
Breathing apparatus, fresh air	
Butterworth plates, safety rules regarding	35.30-10
\mathbf{C}	
Carbon dioxide extinguishing systems:	04.45.00
Alarms	34.15-30
Amount of carbon dioxide required	34.15-5
Application	34.15-1 24.15-10
Discharge outlets	34.15-10
Dry cargo spaces	
Enclosed ventilation systems for rotating electrical pro	pulsion equip-
ment	
Enclosure openings	
Installation contracted for prior to January 1, 1962	34.15-90
Machinery spaces pumprooms paint lockers and similar s	spaces 34.15-5
Piping	
Pressure relief	24 15 5
Storage	34 15-20
Total available supply	34.15-5
Cargo definition	30.10-5
Cargo discharge	32.50-3
Cargoes elevated temperatures	Part 36
Cargoes regulated	Subpart 30.25
Cargo gear certificates or registers	
Cargo gear inspection	31.10-16
Cargo handling: Equipment maintenance	35 35 70
General	
Liquefied petroleum gases	Subpart 38.15
Loading information	35.35
Safety requirements	
Unmanned tank barges	35.35-1
Cargo handling room, definitions	30.10-6
Cargo hose	35.35-15, 35.35-70, 38.15-5
Cargo piping	38.10-10

Cargo pumps	Subpart 32.50
Cargo pump relief valves	36.10-1
Cargo pump, testing of	35.35-70
Cargo tank hatches, ullage holes and Butterworth plates, safety rules	s re-
garding	35.30-10
Cargo tanks:	
Construction and testing of	70-25, 32.75-10
Design and installation of	38.05
Electric bonding and grounding of	32.75-15
Filling densities	38.15-1
Fire extinguishing systems for	34.05-5
Hydrostatic test of	38.25-1
Installation for carrying liquids at elevated temperatures	36.05-1
Independent	65-30, 32.75-10
Liquefied petroleum gases	Part 38
Liquid level gauging devices	10-20, 32.20-20
Marking of	38.05-5
Periodic test	38.25-1
Piping	38.10-10
Refrigeration system used with	38.05-25
Removal from service	38.25-5
Venting of	38.20-1. 38.20-5
Cargo transfer:	,
Approval of	35.35-25
Conditions affecting	35.35-40
Connecting of cargo hose	35.35-15
Declaration of inspection	35.35-30
Duties of senior deck officer	35.35-35
Electric bonding	35.35-5
Filling densities	38.15-1
Handling of packaged goods, etc	35.35-55
Inspection prior to	35.35-2.0
Liquefied flammable gases	38.15-5
Maintenance of equipment	35.35-70
Men on duty	35.35-1
Tank barges	35 35-60
Termination of	35 35-50
Towing vessels furnishing steam, air or electricity	35.35-45
Vapor control systems	Part 39
Vessels coming alongside during	35 35-42
Carriage of person other than crew	35 01-15
Casualty or accident report	Subpart 35.15
Certificate of class	31.10-5
Application for	01-15. 31.01-20
Cargoes of elevated temperatures, carriage of	36.01-5
Delivery of	31 05-1
Endorsed for liquefied flammable gas	38 01-5
Indication of water traveled on	31 20-1
Ocean or unlimited coastwise vessels on inland and Great La	akes
Routes-TB/OC	30 01-7
Posting of	31 05-5
Terms, endorsements	31 05-15
Validity	
Certificates regarding shipboard cargo gear	31 10-16
Certificates under International Convention for Safety of Life	
SeaSea	31 40
1960 American Bureau of Shipping	31.40-45

Application	
Cargo Ship Safety Construction Certificate	
Cargo Ship Safety Equipment Certificate	31.40-10
Cargo Ship Safety Radiotelegraphy Certificate	31.40-15
Duration of Convention Certificate	
Exemption Certificate	
Posting of Convention Certificates	31 40-3
Certified crewmembers	31 15-1
Certified definition	
Charts of navigable waters required	35 20-1
Chief Engineer:	
Repairs of boilers and unfired pressure vessels a	ad reports or acci
dentsdents	
Class, certificate of	21 10
Classification requirements, definition	
CO ₂ fire apparatus, marking required	
Coast Guard District Commander	30.10-19
Coast pilots	35.20-1
Coastwise, definition	
Cofferdam:	
Definition of	
Location of	
Requirements of	32.70-10
Venting of	
Combustible gas indicator	35.30-15
Combustible liquids, definition	30.10-15
Commandant, definition	
Commodities regulated	
Communication, interior system	Subpart 32 30
Sometime the second testing of the second se	
onstruction and testing of cargo tanks and hulkl	neads on tank ves-
Construction and testing of cargo tanks and bulkl	neads on tank ves-
sels	neads on tank ves- 32.65-40, 32.60-40, 32.75-10
selsConstruction of tank barges of materials other tha	neads on tank ves- 32.65-40, 32.60-40, 32.75-10 n steel or iron, re-
selsConstruction of tank barges of materials other tha	neads on tank ves- 32.65-40, 32.60-40, 32.75-10 n steel or iron, re-
sels Construction of tank barges of materials other tha quirements Construction of tank vessels:	neads on tank ves- 32.65-40, 32.60-40, 32.75-10 n steel or iron, re- 32.80-1
sels	neads on tank ves- 32.65-40, 32.60-40, 32.75-10 n steel or iron, re- 32.80-1
sels	neads on tank ves- 32.65-40, 32.60-40, 32.75-10 n steel or iron, re-
sels	neads on tank ves- 32.65-40, 32.60-40, 32.75-10 n steel or iron, re- 32.80-1 32.57-10, 32.60 32.57-1 32.57-1
sels	neads on tank ves- 32.65-40, 32.60-40, 32.75-10 n steel or iron, re-
sels	neads on tank ves- 32.65-40, 32.60-40, 32.75-10 n steel or iron, re-
sels	neads on tank ves- 32.65-40, 32.60-40, 32.75-10 n steel or iron, re-
sels	neads on tank ves
sels Construction of tank barges of materials other tha quirements Construction of tank vessels: Cargo spaces segregated from cargo tanks Ceilings Deck Enclosed spaces General cargo spaces Hatch covers Hull requirements Lamp Lockers Living quarters Location of cargo tank spaces Location of independent Machinery Paint lockers Requirements for scantlings, material and workman	neads on tank ves
sels	neads on tank ves
sels Construction of tank barges of materials other tha quirements Construction of tank vessels: Cargo spaces segregated from cargo tanks Ceilings Deck Enclosed spaces General cargo spaces Hatch covers Hull requirements Lamp Lockers Living quarters Location of cargo tank spaces Location of independent Machinery Paint lockers Requirements for scantlings, material and workman Segregation of cargo space Testing of cargo tanks and bulkheads Construction of vessels for liquefied gases	neads on tank ves
sels Construction of tank barges of materials other tha quirements Construction of tank vessels: Cargo spaces segregated from cargo tanks Ceilings Deck Enclosed spaces General cargo spaces Hatch covers Hull requirements Lamp Lockers Living quarters Location of cargo tank spaces Location of independent Machinery Paint lockers Requirements for scantlings, material and workman Segregation of cargo space Testing of cargo tanks and bulkheads Construction of vessels for liquefied gases Construction of wood hull tank vessels: Application of regulations	neads on tank ves
sels Construction of tank barges of materials other tha quirements Construction of tank vessels: Cargo spaces segregated from cargo tanks Ceilings Deck Enclosed spaces General cargo spaces Hatch covers Hull requirements Lamp Lockers Living quarters Location of cargo tank spaces Location of independent Machinery Paint lockers Requirements for scantlings, material and workman Segregation of cargo space Testing of cargo tanks and bulkheads Construction of vessels for liquefied gases	neads on tank ves

Independent cargo tanks	22 75 10
Convention certificates	Subpart 31 40
Conversion of vessels to tank vessels	31.10-10
Crew:	
Certified members of	
Illness of	
Licensed officers	
Physical condition of	35.05-20
Required for cargo handling	35.35-1
Crew accommodations: Inspection of	21 10 45
Requirements for	Subpart 39.40
Sanitary condition of	Subpart 32.40
Current tables	35.20-1
D	
Deck foam system	Subpart 34.20
Declaration of inspection prior to bulk cargo transfer	35.35-30
Definitions	Subpart 30.10
Delivery of certificate of inspection	31.05-1
Design:	00.07.0
Cargo tanks	38.05-2
Main and auxiliary machinery	
Devices, spark producing	Subpart 39.20
Display of Plans	35 10-3
Draft marks	32.05-1. 35.20-5
Drills:	.,
Boat	35.10-5
Fire	35.10-5
Fire Line throwing appliance	35.10-5
Line throwing appliance	35.10-5
Line throwing appliance ${f E}$	35.10-5 35.10-1
Line throwing appliance ${f E}$	35.10-5 35.10-1
Line throwing appliance	
Line throwing appliance E Effective date of regulation. Electric bonding and grounding. Electrical installations.	
Effective date of regulation Electric bonding and grounding Electrical installations Elevated temperature cargoes:	35.10-5 35.10-1 30.01-15 32.75-15, 35.35-5 31.35, 32.45
E Effective date of regulation Electric bonding and grounding Electrical installations. Elevated temperature cargoes: Cargo pump relief valves	
Effective date of regulation Electric bonding and grounding Electrical installations Elevated temperature cargoes:	
Effective date of regulation Electric bonding and grounding Electrical installations. Elevated temperature cargoes: Cargo pump relief valves Certificate of inspection Flame Screens, vents and ventilations. Installation of cargo tanks	
E Effective date of regulation Electric bonding and grounding Electrical installations Elevated temperature cargoes: Cargo pump relief valves Certificate of inspection Flame Screens, vents and ventilations Installation of cargo tanks Lagged tanks, periodic inspections	
E Effective date of regulation Electric bonding and grounding Electrical installations Elevated temperature cargoes: Cargo pump relief valves Certificate of inspection Flame Screens, vents and ventilations Installation of cargo tanks Lagged tanks, periodic inspections. Protection of personnel	
E Effective date of regulation Electric bonding and grounding Electrical installations Elevated temperature cargoes: Cargo pump relief valves Certificate of inspection Flame Screens, vents and ventilations Installation of cargo tanks Lagged tanks, periodic inspections. Protection of personnel Ventilation of pumproom	
E Effective date of regulation Electric bonding and grounding Electrical installations Elevated temperature cargoes: Cargo pump relief valves Certificate of inspection Flame Screens, vents and ventilations Installation of cargo tanks Lagged tanks, periodic inspections Protection of personnel Ventilation of pumproom Emergency:	
E Effective date of regulation Electric bonding and grounding Electrical installations Elevated temperature cargoes: Cargo pump relief valves Certificate of inspection Flame Screens, vents and ventilations. Installation of cargo tanks. Lagged tanks, periodic inspections. Protection of personnel Ventilation of pumproom Emergency: Authority of senior officer	
Effective date of regulation Electric bonding and grounding Electrical installations Elevated temperature cargoes: Cargo pump relief valves Certificate of inspection Flame Screens, vents and ventilations Installation of cargo tanks Lagged tanks, periodic inspections Protection of personnel Ventilation of pumproom Emergency: Authority of senior officer Breathing equipment, marking	
Effective date of regulation Electric bonding and grounding Electrical installations Elevated temperature cargoes: Cargo pump relief valves Certificate of inspection Flame Screens, vents and ventilations Installation of cargo tanks Lagged tanks, periodic inspections Protection of personnel Ventilation of pumproom Emergency: Authority of senior officer Breathing equipment, marking Lighting and power systems	
E Effective date of regulation Electric bonding and grounding Electrical installations. Elevated temperature cargoes: Cargo pump relief valves Certificate of inspection Flame Screens, vents and ventilations. Installation of cargo tanks. Lagged tanks, periodic inspections. Protection of personnel. Ventilation of pumproom Emergency: Authority of senior officer Breathing equipment, marking Lighting and power systems. Outfit.	
Effective date of regulation Electric bonding and grounding Electrical installations Elevated temperature cargoes: Cargo pump relief valves Certificate of inspection Flame Screens, vents and ventilations Installation of cargo tanks Lagged tanks, periodic inspections Protection of personnel Ventilation of pumproom Emergency: Authority of senior officer Breathing equipment, marking Lighting and power systems	
E Effective date of regulation Electric bonding and grounding Electrical installations Elevated temperature cargoes: Cargo pump relief valves Certificate of inspection Flame Screens, vents and ventilations Installation of cargo tanks Lagged tanks, periodic inspections. Protection of personnel Ventilation of pumproom Emergency: Authority of senior officer Breathing equipment, marking Lighting and power systems Outfit Repairs to firefighting equipment.	
E Effective date of regulation Electric bonding and grounding Electrical installations Elevated temperature cargoes: Cargo pump relief valves Certificate of inspection Flame Screens, vents and ventilations Installation of cargo tanks Lagged tanks, periodic inspections Protection of personnel Ventilation of pumproom Emergency: Authority of senior officer Breathing equipment, marking Lighting and power systems Outfit Repairs to firefighting equipment Signals Training Enclosed ventilating system, fire extinguishing system	
Effective date of regulation	
Effective date of regulation Electric bonding and grounding Electrical installations Elevated temperature cargoes: Cargo pump relief valves Certificate of inspection Flame Screens, vents and ventilations. Installation of cargo tanks Lagged tanks, periodic inspections Protection of personnel. Ventilation of pumproom Emergency: Authority of senior officer Breathing equipment, marking Lighting and power systems Outfit Repairs to firefighting equipment Signals Training Enclosed ventilating system, fire extinguishing system Engineering, electrical Engineering, marine Subpart	
Effective date of regulation	

Emergency	35.30-20
Fire and emergency, marking	Subpart 35.40, 35.40-40
Installed but not required	
Portable electrical	35.30-30
Previously approved	30.01-15
Equipment installations Equipment installations on vessels during World War II	Subpart 32.20
Equipment installations on vessels during World War II	32.20-1
Equipment, navigation	Subpart 32 15
Equivalents	
Escape, means of	32 02-1
Examination of sea chests, sea valves, sea strainers, and	hilge injection
valves	
Exemption certificate	
Explosives, transportation of	35 30_25
Exprosives, cransportation of	
${f F}$	
Etan anna	24.07.00.24.00
Fire axes	
Location of	34.60-10
Number required	
Fire drills	
Fire extinguishers, portable and semiportable:	
Application	
Classification.	
Location	34.50-10
Spare charges	
Vessels contracted for prior to January 1, 1962	34.50-90
Fire extinguishing deck foam system:	
Application	34.20-1
Area protected	
Cargo area definitions	34.20-3
Controls	
Discharge outlets	
Installations contracted for prior to January 1, 1970	34.20-90
Marking	
Piping	34.20-15
Quantity of foam required	34 20-5
Rate of application	34 20-5
Separate supply of foam-producing material	34 20-5
Supply of foam producing material	34 20-5
Water supply	34.20-5
Fire extinguishing fixed foam systems:	
Additional protection required	24 17 95
Application	94.17.1
Area protected	
Controls	
Discharge outlets	
Installations contracted for prior to January 1, 1962	34.17-90
Piping	34.17-15
Rate of Application	34.17-5
Separate supply of foam-producing material	34.17-5
Supply of foam producing material	34.17-5
Water supply for required pumps	34.17-5
Fire extinguishing systems:	
Boilerrooms	
Carbon dioxide	
Cargo tanks	34.05-5
Dry cargo compartments	

Enclosed ventilating systems	34.05-5
Foam, deck	
Foam, fixed	Subpart 34.17
Installations contracted for prior to January 1, 1962	34.10-90
Lamp, paint lockers and similar pages	34.05-5
Machinery spaces	34.05-5
Marking	35.40-10
Piping	34.10-13
Pumprooms	34.05-5
Fire extinguishing system, steam smothering: Application	94 19 1
Installations contracted for prior to January 1, 1962	24.17.00
Finefighting againment	34.17-90
Firefighting equipment: Application	24.01.1
Fire axes	
Fire main system	24.05.1
Hose	
Nozzles	
Hydrants	
Installed but not required	34 01-5
Portable, vessel's name on	35, 40-40
Protection for unusual arrangements or special products	34.01-10
Testing and inspection	31.10-18. 31.10-19
Fire main system:	01110 10, 01110 10
Application	34.10-1
Fire pumps	34.10-5
Fire station hydrants hose and nozzles	34.10-10
Fire, matches and smoking safety rules	35.30-5
Fire protection, structu1ral, for tank vessels contracted for o	on or after
January 1, 1963	Subpart 32.57
Fire protection, structural for ships with a keel laying date of	on or after
January 1, 1975	Subpart 32.56
Fire station	34.10-10
Fitting and piping for liquefied petroleum gases	
Fittings, cargo	Subpart 32.50
Flame arresters	
Flame screen	
Flammable liquid, definition	30.10-22
Flammable liquid and gas fuels as ships' stores	35.30-40
Flammable or inflammable, definitionFlashpoint, definition	30.10-21
Flashpoint, definition	30.10-27
Foam hose/monitor stations	35.40-17
Fresh air breathing apparatus	35.30-20, 35.40-20
Fuel oil, requirements	35.25-10
Fuels, flammable liquid and gas	35.30-40
Functions, assignment of	30.01-3
\mathbf{G}	
-	
Galley fires, safety rules	35.30-5
Gangway signs	35.30-1
Gas chemist certified by American Bureau of Shipping	35.01-1
Gas free, definition	30.10-29
Gauge, liquid level	0-20, 38.10-20, 39.20-3
Gear, shipboard cargo, certificates or registers	
General alarm switch, marking of	35.40-1
General alarm systems:	
Alarm bells for tankships constructed on or after Sept	
1943	32.25-1

Alarm bells for tankships constructed prior to September 15, 19	943 32 25-1
Alarm bells for manned barges	32.25-1
General rules and regulations	
Grade D, combustible liquid	
Grade E, combustible liquid	30.10-15
Great Lakes	
Н	
Hauling out or drydocking	31.10-20
Headquarters	
Hose, cargo	32.50-30
Hospital accommodations	32.40-35
Hull and cargo tank requirements:	
Alternative arrangements	
Application	32.63-1
Barge hull classifications	32.63-5
Cargo tanks and supports	32.63-25
Hull structure	
Rakes and coamings	
Hull requirements	5, 32.70, 32.75, 32.80
Hydrostatic test for cargo tanks	38.25-1
I	
-	
Independent cargo tanks32.60-30, 32.60-35, 32.65-	30, 32.70-25 32.75-10
Inert gas system	Subpart 32.53
Inspection: Alternations and repairs	01 10 05
Alternations and repairs	31.10-25
BilgesCertificate of	
Conversion of a vessel to a tank vessel, application for	21 01 20
Crew accommodations	
During trial trip	
General requirements	Subnart 31.10-40
Initial, scope of	31 01-5
Lagged tanks	36 30-1
New tank vessel	31.01-20.31.10-5
Plans and specifications	
Recognized classification society	31.10-1
Required	31.01-1
Required before making repairs	35.01-1
Required, liquefied, petroleum gas tanks	38.25-1
Required on new tank vessels	31.01-1
Safety valves	
Two years	31.10-15, 31.10-17
Inspection and certification of cargo gear	31.10-16
Inspection and test, periodic, of independent cargo tanks	38.25
Inspection of cargo gear:	
Certification	31.10-16
Installation of cargo tanks	38.05-10
Installation of internal combustion engines	32.35-5
Installations made during the Unlimited National Emergency	32.20-1
Internal combustion installations, fire extinguishing systems	34.05-5
International voyage	30.01-6
Interior communications system:	
Bell signals between engineroom and pilothouse	
Inspection of	
Telegraph systems	32 . 30

Telephone equipment	32.30-1
Voice tubes	32.30-1
Issuance of certificates of inspection	31.05-1
${f L}$	
Lakes, bays and sounds	30 10 41
Lamp and paintrooms:	30.10-41
Fire extinguishing system for	34.05-5
Fireproofing of	32 85_1
Licensed officers required	31 15-1
Lifeboat drills	
Lifesaving Appliances and Approaches	Subpart 31 36
Actions to be required	35 07-10
Certificate of inspection regulation	31.05-1
Drills	
Inspections required	
Musters	
Lights, flashing the ray of	35.20-30
Light List	35.20-1
Liquid, flammable	30.10-22
Liquid level gauging devices	38.10-20 39.20-3
Liquefied flammable gas	30.10-39
Cargo hose	38.15-5
Cargo piping	38.10-10
Certificate of inspection	38.01-5
Design and construction of cargo tanks	38.05-2
Design and construction of nonpressure vessel type cargo tanks	38.05-4
Design and construction of pressure vessel type cargo tanks	38.05-3
Design and construction of vessels, general	38.05-1
Electrical installations	38.15-15
Filling and discharge pipes	38.10-5
Filling of tanks	38.15-1
Installation of cargo tanks	
Insulation	
Leak detection systems	38.15-10
Liquid level gauging devices	38.10-20
Markings	38.05-5
Refrigerated systems	
Remote shutdowns	
Removal of defective tanks	38.25-5
Safety relief valves	
Safety relief valves for pressure vessel type tanks	38.10-15
Scope of regulations	38.01-1
Tests and inspections.	38.25-1
Transportation of	Part 38
Transportation of portable cylinders or portable tanks containi	ng or
having previously contained liquefied flammable gases in dry	
spaces	38.01-2
Valves, fittings, and accessories	38.10-1
Vapor control system	Part 39
Ventilation	38.20-10
Venting	2 60 25 22 65 25
Living quarters	2.00-20, 32.00-20
Loading information	on 10 on
Logbook entries:	31.10-32
Actions required to be logged	35 07-10
rictions required to be rogged	

Application Draft of tank ship	35.07-1
Fire and lifeboat drills	
Fuel oil requirements	25 25_10
Logbooks and records	35 07-5
Steering gear tests	35 20-10
M	
Machinery spaces, fire extinguishing systems for	34.05-5
Machinery, main and auxiliary: Accident report by chief engineer	
Air compressors	32.35-15
Construction	32.35-1
Design	
Examination by engineer	32.25-1
Installation of internal combustion engines	32.35-5
Steering apparatus	32.35-10
Maneuvering characteristics, display of	35.20-40
Manning: Tank vessels	31.15. 35.35-1
Marine engineering and material specifications	Subpart 31 30
Marine inspector, authority of	31.01-10
Markings:	
CO ₂ alarm	35.40-7
Draft marks	
Emergency breathing apparatus	35.40-20
Emergency lights	35.40-6
Fire and emergency equipment	Subpart 35.40
Firehose stations	35.40-15
General alarm bell	
General alarm bell switch	35.40-1
Lifesaving equipment	35.40-40
Portable fire extinguishers	
Steam, foam or CO_2 apparatus	35.40-10
Steering station	35.40-35
Tanks for liquefied flammable gas, marking of	38.05-5
Vapor control system piping	
Vessel's name on equipment	22.03-10, 32.03-13
Master:	
Casualty or accident report	35 15-1
Licensed officer	
Station bills and muster list	. 35.10-1. 35.10-5
Master's and officer's responsibility	35.20-20
Matches:	
Use of	
Materials specification	Subpart 31.30
Material, scantlings and workmanship	
Means of escape	
Muster list	. 35.10-1, 35.10-5
N	
Nautical publications	
Navigation, use of Auto Pilot	35.20-45
Navigation equipment:	
Anchors for seagoing barges	32.15-15
Magnetic compass and gyro compass	

Radar 32.15-30 Sounding machines 32.15-10 Whistles 32.15-5 New tank vessels, inspection of 31.10-5 New tank vessels, plans for inspection of 31.10-5(a) Notice to mariners 35.20-1
Ocean definition
Ocean, definition 30.10-45 Officer in Charge, Marine Inspection 30.10-47
Officers required on tank vessels
Open hopper type barges
Overfill protection, liquid, tank barge
Overfill protection, liquid, tank ship39.20-7
Overpressure and vacuum protection, vapor, tank barge and ship
Oxygen breathing apparatus, marking of
P
Paint lockers
Period covered by certificate of inspection
Permit definition 30.10-49
Permit to proceed to another port for repairs
Fire extinguishing systems 34.10-10, 34.10-15, 34.10-90, 34.15-15, 34.17-15, 34.20-15,
34.25-15 Dining hiles
Piping, bilge 32.52-5 Piping, cargo Subpart 32.50
Cargo tanks
Steering apparatus
Plans, Display of
Plans for inspection of new tank vessels
Portable and semiportable extinguishers
Posting of certificate of inspection
Pressure-vacuum relief valve
Protection for personnel 36.05-10
Pumprooms:
Electrical installations
Fire extinguishing systems for
Location of
Requirements for 32.70-15, 32.70-20
Ventilation
Pumps, bilge
Pumps, cargo
${f Q}$
Quarters, living
${f R}$
Radar
Radio room warning signs
Recognized classification society, definition
Refrigerated systems
Registers regarding shipboard cargo gear

Application of	
Effective date	
Explanation of vessel description	30.01-5
Governing alterations and repairs	30.01-10
Liquefied flammable gas	Part 38
Scope ofVapor control system	30.U1-1
Reid vapor pressure, definition	20 10 50
Reinspection	21 10 17
Relief valves:	31.10-17
Cargo pump	36 10-1
Cargo pump, testing of	35 35-70
Cargo tanks	38.10-15
Repairs:	
Application of regulations	30.01-10
Firefighting equipment	35.01-35
Inspection before making	35.01-1
Involving hot work	35.01-1
Permit to proceed to another port	31.10-35
Reports of engineers	
Rivers, definition	30.10-61
Rudder:	
Indicators	35.40-35
~	
${f S}$	
Safety radio certificate	21 40 15
Safety requirements:	31.40-13
Means of escape	32 02-1
Safety relief valves for cargo tanks	38 10-15
Safety rules	
Sailing directions	35.20-1
Sanitary inspection by master and chief engineer	35.01-5
Scantlings, material and workmanship	32.60-1. 32.65-5
Scuppers, closing of	35.35-10
Sea chests, examination of	31.10-20
Sea strainers, examination of	31.10-20
Sea valves, closing of	35.35-10
Segregation of spaces containing the emergency source of elec-	ctric
power	32.60-45
Shipboard cargo gear, certificates or registers	31.10-16
Shipping papers required	35.01-10
Sleeping accommodations	ıbpart 32.40-20
Smoking safety rules	35.30-5
Sounding machines	32.15-10
Spark arrester	30.10-63
Spark producing devices	35.30-35
Spray nozzles	34.10-10
Specifications, material	
Special operating requirements for tank barges carrying certain	Suppart 35.01
gerous bulk cargoes	uall-
gerous bulk cargoes	35.U1-3U
Station bills required	31.10-30 25 10 1
Steam fire extinguishing systems, marking of	25 10-1
Steam, carrying of excess	
Steam smothering system	
Steel hull tank vessels	60. 32.63. 32.65
- III - IIII - IIIII - IIII	, 02.00, 02.00

Steering apparatus on tank vessel	32 35-10
Steering apparatus on turn vesser	25 40 20
Steering gear, instruction for changing	
Steering gear test	
Steering orders, marking	35.40-35
Stowage of package and general cargo	35 35-55
Subdivision of cargo spaces	32 60 5 32 65 10
Subdivision of cargo spaces	32.00-3, 32.03-10
${f T}$	
1	
Tank barge:	
Constraint balls are a basis a decrease about the state of a	
Carrying bulk cargoes having dangerous characteristics in add	ition to
flammability and combustibility	35.01-50
Definition	30.10-65
Watchman for	
Tankerman, definition	
Tankehia.	
Tankship:	00.40.07
Definition	30.10-67
Licensed officers and crew	35.05-1
Tank vessel:	
Definition	30 10-69
Laid up or dismantled	
Laid up of dismancied	
Telegraph equipment, engine order	Subpart 32.30
Telephone equipment, sound powered	Subpart 32.30
Testing of firefighting equipment	31.10-19
Tide tables	35.20-1
Toilet facilities	
Towing vessels	
Trial trip inspection	31.10-40
U	
Ullage holes, safety rules regarding	35.30-10
	35.30-10
Ullage holes, safety rules regarding ${f V}$	35.30-10
V	35.30-10
V Valves:	
V Valves: Back pressure check type	38.10-1, 38.10-5
V Valves: Back pressure check type	38.10-1, 38.10-5
V Valves: Back pressure check type Excess flow	38.10-1, 38.10-5 38.10-1, 38.10-5
V Valves: Back pressure check type Excess flow Liquefied flammable gas	38.10-1, 38.10-5 38.10-1, 38.10-5 38.10-1, 38.10-5
V Valves: Back pressure check type Excess flow Liquefied flammable gas Pressure vacuum relief	38.10-1, 38.10-5 38.10-1, 38.10-5 38.10-1, 38.10-5 30.10-55, 32.20-5
V Valves: Back pressure check type Excess flow Liquefied flammable gas Pressure vacuum relief Relief	38.10-1, 38.10-5 38.10-1, 38.10-5 38.10-1, 38.10-5 30.10-55, 32.20-5 , 38.10-10, 38.10-15
V Valves: Back pressure check type Excess flow Liquefied flammable gas Pressure vacuum relief Relief	38.10-1, 38.10-5 38.10-1, 38.10-5 38.10-1, 38.10-5 30.10-55, 32.20-5 , 38.10-10, 38.10-15
V Valves: Back pressure check type Excess flow Liquefied flammable gas Pressure vacuum relief Relief Shutoff Shutoff	38.10-1, 38.10-5 38.10-1, 38.10-5 38.10-1, 38.10-5 30.10-55, 32.20-5 , 38.10-10, 38.10-15
V Valves: Back pressure check type	38.10-1, 38.10-5 38.10-1, 38.10-5 38.10-1, 38.10-5 30.10-55, 32.20-5 ., 38.10-10, 38.10-15 38.10-1
V Valves: Back pressure check type Excess flow Liquefied flammable gas Pressure vacuum relief Relief Shutoff Vapor balancing: Design and equipment for	38.10-1, 38.10-5 38.10-1, 38.10-5 38.10-1, 38.10-5 30.10-55, 32.20-5 , 38.10-10, 38.10-15 38.10-1
V Valves: Back pressure check type Excess flow Liquefied flammable gas Pressure vacuum relief Relief Relief Shutoff Vapor balancing: Design and equipment for General requirements for	38.10-1, 38.10-5 38.10-1, 38.10-5 38.10-1, 38.10-5 30.10-55, 32.20-5 , 38.10-10, 38.10-15 38.10-1
V Valves: Back pressure check type Excess flow Liquefied flammable gas Pressure vacuum relief Relief Relief Shutoff Vapor balancing: Design and equipment for General requirements for Operational requirements for	38.10-1, 38.10-5 38.10-1, 38.10-5 38.10-1, 38.10-5 30.10-55, 32.20-5 , 38.10-10, 38.10-15 38.10-1
V Valves: Back pressure check type Excess flow Liquefied flammable gas Pressure vacuum relief Relief Relief Shutoff Vapor balancing: Design and equipment for General requirements for Operational requirements for Vapor collection system	38.10-1, 38.10-538.10-1, 38.10-538.10-1, 38.10-530.10-55, 32.20-5 , 38.10-10, 38.10-1539.40-339.40-139.40-539.40-5
V Valves: Back pressure check type Excess flow Liquefied flammable gas Pressure vacuum relief Relief Relief Shutoff Vapor balancing: Design and equipment for General requirements for Operational requirements for Vapor collection system	38.10-1, 38.10-538.10-1, 38.10-538.10-1, 38.10-530.10-55, 32.20-5 , 38.10-10, 38.10-1539.40-339.40-139.40-539.40-5
V Valves: Back pressure check type Excess flow Liquefied flammable gas Pressure vacuum relief Relief Relief Shutoff Vapor balancing: Design and equipment for General requirements for Operational requirements for Vapor collection system Vapor control systems	38.10-1, 38.10-538.10-1, 38.10-538.10-1, 38.10-530.10-55, 32.20-5 , 38.10-10, 38.10-1539.40-339.40-139.40-539.40-539.20-1
V Valves: Back pressure check type Excess flow Liquefied flammable gas Pressure vacuum relief Relief Relief Shutoff Vapor balancing: Design and equipment for General requirements for Operational requirements for Vapor collection system Vapor control systems Applicability	38.10-1, 38.10-538.10-1, 38.10-538.10-1, 38.10-530.10-55, 32.20-5 , 38.10-10, 38.10-1539.40-339.40-139.40-539.20-1Part 39910-1
V Valves: Back pressure check type Excess flow Liquefied flammable gas Pressure vacuum relief Relief Relief Shutoff Vapor balancing: Design and equipment for General requirements for Operational requirements for Vapor collection system Vapor control systems Applicability Cargo gauging system	38.10-1, 38.10-538.10-1, 38.10-538.10-1, 38.10-530.10-55, 32.20-5 , 38.10-10, 38.10-1539.40-339.40-139.40-539.20-1Part 3939.10-139.20-3
V Valves: Back pressure check type	38.10-1, 38.10-538.10-1, 38.10-538.10-1, 38.10-530.10-55, 32.20-5 , 38.10-10, 38.10-1539.40-339.40-139.40-139.20-129.39.10-139.10-3
V Valves: Back pressure check type Excess flow Liquefied flammable gas Pressure vacuum relief Relief Relief Shutoff Vapor balancing: Design and equipment for General requirements for Operational requirements for Vapor collection system Vapor control systems Applicability Cargo gauging system Definitions Design and equipment	38.10-1, 38.10-538.10-1, 38.10-538.10-1, 38.10-530.10-55, 32.20-5 , 38.10-10, 38.10-1538.10-139.40-339.40-139.40-539.20-129.20-339.10-339.10-339.10-3
V Valves: Back pressure check type Excess flow Liquefied flammable gas Pressure vacuum relief Relief Relief Shutoff Vapor balancing: Design and equipment for General requirements for Operational requirements for Vapor collection system Vapor control systems Applicability Cargo gauging system Definitions Design and equipment General requirements General requirements	38.10-1, 38.10-538.10-1, 38.10-538.10-1, 38.10-530.10-55, 32.20-5 , 38.10-10, 38.10-1539.40-339.40-139.40-539.20-1Part 3939.10-139.20-339.10-339.10-3Subpart 39.20Subpart 39.20
V Valves: Back pressure check type Excess flow Liquefied flammable gas Pressure vacuum relief Relief Relief Shutoff Vapor balancing: Design and equipment for General requirements for Operational requirements for Vapor collection system Vapor control systems Applicability Cargo gauging system Definitions Design and equipment General requirements General requirements	38.10-1, 38.10-538.10-1, 38.10-538.10-1, 38.10-530.10-55, 32.20-5 , 38.10-10, 38.10-1539.40-339.40-139.40-539.20-1Part 3939.10-139.20-339.10-339.10-3Subpart 39.20Subpart 39.20
Valves: Back pressure check type	38.10-1, 38.10-538.10-1, 38.10-538.10-1, 38.10-530.10-55, 32.20-5 ., 38.10-10, 38.10-1539.40-339.40-139.40-539.20-1Part 3939.10-139.20-339.10-3Subpart 39.20Subpart 39.20Subpart 39.10Subpart 39.10
Valves: Back pressure check type	38.10-1, 38.10-538.10-1, 38.10-538.10-1, 38.10-530.10-55, 32.20-5 , 38.10-10, 38.10-1539.40-339.40-139.40-539.20-1Part 3939.10-139.20-339.10-139.20-339.10-139.20-339.10-139.20-339.10-139.20-339.10-139.30-1
Valves: Back pressure check type	38.10-1, 38.10-538.10-1, 38.10-538.10-1, 38.10-530.10-55, 32.20-5 , 38.10-10, 38.10-1539.40-339.40-139.40-539.20-1Part 3939.10-139.20-339.10-139.20-339.10-139.20-339.10-139.20-339.10-139.20-339.10-139.30-1Subpart 39.4039.30-1Subpart 39.40
Valves: Back pressure check type	38.10-1, 38.10-538.10-1, 38.10-538.10-1, 38.10-530.10-55, 32.20-5 ., 38.10-10, 38.10-1539.40-339.40-139.40-139.20-12139.20-339.10-139.20-339.10-339.10-339.30-15ubpart 39.105ubpart 39.105ubpart 39.105ubpart 39.105ubpart 39.3039.30-1
Valves: Back pressure check type	38.10-1, 38.10-538.10-1, 38.10-538.10-1, 38.10-538.10-1, 38.10-538.10-10, 38.10-1538.10-139.40-339.40-139.40-139.20-339.10-139.20-339.10-35ubpart 39.205ubpart 39.4039.30-15ubpart 39.4039.30-15ubpart 39.4039.30-15ubpart 39.4039.30-15ubpart 39.30
Valves: Back pressure check type	38.10-1, 38.10-538.10-1, 38.10-538.10-1, 38.10-538.10-1, 38.10-538.10-10, 38.10-1538.10-139.40-339.40-139.40-139.20-339.10-139.20-339.10-35ubpart 39.205ubpart 39.4039.30-15ubpart 39.4039.30-15ubpart 39.4039.30-15ubpart 39.4039.30-15ubpart 39.30

Tank barge liquid overfill protection	
Tankship high and low vapor pressure protection	39.20-13
Vessel vapor processing units	39.10-9
Ventilation and venting:	
Cargo tanks	Subpart 32.55
Cargo tanks, independent	Subpart 38.20
Cofferdams	32.55-45
Flame screen	36.20-1
Hold spaces	32.55-15
Pumproom	
Tank ships with a keel laying date on or after January 1, 1975	32.55-50
Vessels coming alongside	35.35-42
Vessels converted to tank vessels	31.10-10
Vessel's name on equipment	
Vessel's name	. 32.05-10, 32.05-15
Voice tubes	32.30-1

W	
Warning signals and signs	
Warning signs	
Washing facilities	
Watchman for tank barge	
Water spray extinguishing systems, details	
Application	
Capacity and arrangement	
Controls	
Installations contracted for prior to January 1, 1964	
Piping	
Spray nozzles	
Water spray systems, marking of	
Waters, travel permitted on	
Welding repairs	35.01-1
Whistles	
Whistle signals for drills	35.10-5
Whistling, unnecessary	35.20-35
Work vests:	
Application of	35.03-1
Approved unicellular plastic foam	
Shipboard inspection	35.03-20
Shipboard stowage	
Use	
Workmanship, material, and scantlings	32.65-5